



C·BIZ

BUSINESS SOLUTIONS



877-271-3730

www.C-Bizs.Com



Basic series

4, 8, 16 Channel DVR

MPEG4 for longer record time

View & Record 120-480 FPS

DVR recording for smooth playback

Very Affordable!

One year warranty

Basic series 4, 8, 16 Channel DVR
MPEG4 for longer record time
View & Record 120-480 FPS
One year warranty

Features

- Real Time MPEG4 Technology for longer record storage
- Simple to use just like a VCR
- Very reliable embedded operating system (Not prone to virus or hacking like PC-based DVR)
- No tapes to change or manage and digital recorded video never degrades
- Search video playback quickly and easily by time/date, event list, or percentage
- Up to 120-480 FPS recording and live viewing for smooth real time video
- Triplex (Recording, playback, and internet viewing simultaneously)
- Remote network monitoring via the internet
- VGA-Monitor option/ BNC/ RCA output to any monitor
- Motion Activated, Scheduled, or Continuous recording setting
- Password protection to prevent unauthorized tampering
- 2x digital zoom for live or recorded playback viewing
- Auto detect hard drive technology
- Freeze/ Zoom/ Picture in Picture/ Sequence/ Full display options
- One channels of audio input
- Digital watermark technology

This sleek-looking entry level series 4, 8, 16 Channel DVR offers up to 120-480 FPS recording for smooth playback, MPEG4 for longer record time, remote network viewing, quick video search, etc. to help you record high-quality videos and better surveillance. It is easy to use just like a VCR and allows recording, playback, and Internet viewing - all at the same time. Since recording is done time/date wise, video playback can be done quickly

Multiplex function: Triplex
(Record/Playback/Internet view)

Storage: HDD bay with no limitation capacity

Backup: IP download,
or connect to a VCR

Video: Input: 4, 8, 16 channels
Output: 2 Ch (Monitor/ VCA), 4 , 8, 16 ch loop
VGA(\$50 option) to a computer monitor

Compression rate: Basic: 12 KB (720x240 NTSC)
Normal: 16 KB (720x240 NTSC)
Enhanced: 20 KB (720x240 NTSC)
Fine: 24 KB (720x240 NTSC)
Super Fine: 28 KB (720x240 NTSC)

Recording/Search: Motion Activated, Continuous, Schedule

Record speed: Up to 120 fps

Language: English, Spanish, German, Italy, France

Live viewing screen: 1 or 16 screen, PIP, Freeze,
2x Digital Zoom, Sequence
120 FPS live viewing

Alarm: 4 ch input, one output (NO/NC)

Motion detection: Screen masking and sensitivity setting

Network: Ethernet (TCP/IP)
Remote Viewer software included

PTZ control: RS-485, Key control(Key assigned)

Firmware upgrade:

Power requirement: DC 12V 10A Power supply (included)

